

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	247	@ay< "2001" and network and semantic and (interface or gui).ti.	US-PGPUB; USPAT	OR	ON	2007/12/11 18:14
S2	5	@ay< "2001" and network and semantic and (interface or gui).ti. and (structur\$3 with (meta adj data))	US-PGPUB; USPAT	OR	ON	2007/12/11 18:15
S3	0	@ay< "2001" and network and (interface or gui).ti. and (semantic\$5 with structur\$3 with (meta adj data))	US-PGPUB; USPAT	OR	ON	2007/12/11 18:16
S4	772	@ay< "2001" and (adaptive with interface) and network	US-PGPUB; USPAT	OR	ON	2007/12/11 18:34
S5	2	@ay< "2001" and (adaptive with interface with semantic) and network	US-PGPUB; USPAT	OR	ON	2007/12/11 18:34
S6	1	"4974191".pn.	US-PGPUB; USPAT	OR	ON	2007/12/11 18:35
S7	0	@ay< "2001" and ((gather\$3 compil\$3 collat\$3 retriev\$3 match\$3 map\$4 accumulat\$3 consolidat\$3) with (semantic \$4) with (compatib\$6) with network)	US-PGPUB; USPAT	OR	ON	2007/12/11 18:41
S8	3	@ay< "2001" and ((gather\$3 compil\$3 collat\$3 retriev\$3 match\$3 map\$4 accumulat\$3 consolidat\$3) with (semantic \$4) with (compatib\$6))	US-PGPUB; USPAT	OR	ON	2007/12/11 18:41
S9	37	@ay< "2001" and ((gather\$3 compil\$3 collat\$3 retriev\$3 match\$3 map\$4 accumulat\$3 consolidat\$3) with (semantic \$4) with (compatib\$6 complian\$3 standardiz\$3 uniform))	US-PGPUB; USPAT	OR	ON	2007/12/11 18:43
S10	37	@ay< "2001" and ((gather\$3 compil\$3 collat\$3 retriev\$3 match\$3 map\$4 accumulat\$3 consolidat\$3) with (semantic \$4) with (compatib\$6 complian\$3 standardiz\$3 uniform homogen\$5))	US-PGPUB; USPAT	OR	ON	2007/12/11 18:43

S11	5	@ay< "2001" and ((gather\$3 compil\$3 collat\$3 retriev\$3 match\$3 map\$4 accumul\$3 consolidat\$3) with (semantic \$4) with (compatib\$6 complan\$3 standardiz\$3 uniform homogen\$5) with network)	US-PGPUB; USPAT	OR	ON	2007/12/11 18:43
S12	1	"7254512".pn.	US-PGPUB; USPAT	OR	ON	2007/12/11 18:51
S13	1	"5966126".pn.	US-PGPUB; USPAT	OR	ON	2007/12/11 18:53
S14	8200	@ay< "2001" and (adapt\$4 with interface with network)	US-PGPUB; USPAT	OR	ON	2007/12/11 18:56
S15	140	((compar\$3 compatible) with interface) same (interface with (semantics behavior)) and (@ad< "20011001" @rlad< "20011001")	US-PGPUB; USPAT	OR	ON	2007/12/11 18:56
S16	14	((compar\$3 compatible) near6 interface) with (interface near6 (semantics behavior)) and (@ad< "20011001" @rlad< "20011001") and network	US-PGPUB; USPAT	OR	ON	2007/12/11 18:57
S17	3	((compar\$3 compatible) near6 (network protocol)) with (interface near6 (semantics behavior)) and (@ad< "20011001" @rlad< "20011001") and network	US-PGPUB; USPAT	OR	ON	2007/12/11 19:00
S18	14	((compar\$3 compatible) near6 interface) with (interface near6 (semantics behavior)) and network and (@ad< "20011001" @rlad< "20011001")	US-PGPUB; USPAT	OR	ON	2007/12/11 21:49
S19	1	"20020120784"	US-PGPUB; USPAT	OR	ON	2007/12/11 22:24
S20	0	S19 and (semantic with map \$4)	US-PGPUB; USPAT	OR	ON	2007/12/11 22:25
S21	0	S19 and (semantic with match \$3)	US-PGPUB; USPAT	OR	ON	2007/12/11 22:25
S22	1	"20020120784" and semantic	US-PGPUB; USPAT	OR	ON	2007/12/11 22:25
S23	1	"20020120784" and associat \$4	US-PGPUB; USPAT	OR	ON	2007/12/11 22:35
S24	223	((characteristic or trait) with (differ\$4) with (interfac\$3) with (translat\$4 or compatib \$4 or adapt\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 19:58

S25	23	"709".clas. and ((characteristic or trait) with (differ\$4) with (interfac\$3) with (translat\$4 or compatib \$4 or adapt\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 19:59
S26	12	api and ((characteristic or trait) with (differ\$4) with (interfac\$3) with (translat\$4 or compatib\$4 or adapt\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:02
S27	3	"709".clas. and ((characteristic or trait) with (differ\$4) with (interfac\$3) with (translat\$4 or compatib \$4 or adapt\$3) with (clients or nodes or computers))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:14
S28	12	((characteristic or trait) with (differ\$4) with (interfac\$3) with (translat\$4 or compatib \$4 or adapt\$3) with (clients or nodes or computers))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:15
S29	3	"20020120784"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:23
S30	12	((characteristic or trait) with (different or differing) with (interfac\$3) with (translat\$4 or compatib\$4 or adapt\$3) with (clients or nodes or computers))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:34
S31	2088	((client or computer or node) with (adapter or interface) with (compatible or translat \$4 or adapt or adapting) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:51
S32	4025	((client or computer or node) with (adapter or interface) with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:54
S33	18684	((client or computer or node) with (adapter or interface) with (incompatible or differ\$3 or conflict\$3 or mismatch\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:55
S34	140	((client or computer or node) with (adapter or interface) with (incompatible or conflict \$3 or mismatch\$3) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:55
S35	108	((client or computer or node) with (adapter or interface) with (incompatible or conflict \$3) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:55

S36	26	((client or computer or node) with (adapter or interface) with (incompatible or conflict \$3) with network) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:55
S37	0	((client or computer or node) with (adapter or interface) with (incompatible or conflict \$3) with (character\$6 or trait) with network) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:58
S38	1	((client or computer or node) with (adapter or interface) with (incompatible or conflict \$3) with (character\$6 or trait) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 20:58
S39	441	((client or computer or node) with (adapter or interface) with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with (character\$6 or trait))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 21:00
S40	62	((client or computer or node) with (adapter or interface) with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with (character\$6 or trait)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/19 21:01
S41	54	((client or computer or node) with (interface) with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with (character\$6 or trait)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:08
S42	20	((client or computer or node) with (interface) with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) near2 (character\$6 or trait)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:17
S43	239	(semantic with interfac\$3 with (incompatible or differ\$3 or conflict\$3 or mismatch\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:27
S44	45	(semantic with interfac\$3 with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:31
S45	55	((correctness or semantic or syntax) with interfac\$3 with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:43

S46	10	S45 not S44	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 19:44
S47	0	((correctness or semantic or syntax) with ((data adj structure) or table or (meta adj data)) with interfac\$3 with (incompatible or differ\$3 or conflict\$3 or mismatch\$3) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:07
S48	14	((correctness or semantic or syntax) with ((data adj structure) or table or (meta adj data)) with interfac\$3 with (incompatible or differ\$3 or conflict\$3 or mismatch\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:07
S49	150	((correctness or semantic or syntax) with ((data adj structure) or table or (meta adj data))) and (network with api with (client or computer or device))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:15
S50	23	((correctness or semantic or syntax) with ((data adj structure) or table or (meta adj data)) with api) and (network with api with (client or computer or device))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:18
S51	82	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with ((meta adj data) or (data adj structure)) with (network\$3 or communicat\$3) with (computer or device or client))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:55
S52	226	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with (network\$3 or communicat\$3) with (computer or device or client)) and (((meta adj data) or (data adj structure)) with (semantic or syntax or characteristic or trait))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:58

S53	43	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with (network\$3 or communicat \$3) with (computer or device or client)) and (((meta adj data) or (data adj structure)) with (semantic or syntax))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 20:59
S54	27	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with (network\$3 or communicat \$3) with (computer or device or client) with (interface)) and (((meta adj data) or (data adj structure)) with (semantic or syntax))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 21:03
S55	2	"6549918".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 21:34
S56	27	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with (network\$3 or communicat \$3) with (computer or device or client) with (interface or adapter or translator)) and (((meta adj data) or (data adj structure)) with (semantic or syntax))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 21:56
S57	2309	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with (network\$3 or communicat \$3) with (computer or device or client) with (interface or adapter or translator))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 21:57
S58	505	((different or conflict\$3 or differing or incompatible or (non adj compliant)) with (format or protocol) with (network\$3 or communicat \$3) with (computer or device or client) with (interface or adapter or translator)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/20 22:04
S59	2014	(standardiz\$3 with network with (computer or device))	US-PGPUB; USPAT	OR	ON	2009/05/22 20:14

S60	2134	(standardiz\$3 with network with (computer or device))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 20:14
S61	531	(standardiz\$3 with network with (computer or device)) and ((meta adj data) or (data adj structure))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 20:14
S62	24	(standardiz\$3 with network with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 20:50
S63	0	(standardiz\$3 with network with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with communicat\$4 with (standardiz\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:22
S64	0	((standardiz\$3 or complian \$3) with network with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with communicat\$4 with (standardiz\$3 or complian\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:22
S65	146	((standardiz\$3 or complian \$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with (communicat\$4 or network) with (standardiz \$3 or complian\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:23

S66	54	((standardiz\$3 or complian\$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with (communicat\$4 or network) with (standardiz\$3 or complian\$3)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:24
S67	139	(standardiz\$3 with network with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant)))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:26
S68	30	(standardiz\$3 with network with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:26
S69	0	(standardiz\$3 with network with (computer or device) with ("not" near2 communicat\$3)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:31
S70	0	(standardiz\$3 with network with (computer or device) with ("not" near2 communicat\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:31
S71	0	(standardiz\$3 with network with (computer or device) with (("not" or unable) near2 communicat\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:31
S72	0	((standardiz\$3 or uniform) with network with (computer or device) with (("not" or unable) near2 communicat\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:31
S73	79	((standardiz\$3 or uniform) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with (communicat\$4 or network) with (standardiz\$3 or uniform))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:35

S74	84	((standardiz\$3 or uniform\$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with (communcat\$4 or network) with (standardiz\$3 or uniform\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:35
S75	31	((standardiz\$3 or uniform\$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((meta adj data) or (data adj structure)) and ((computer or device) with (communcat\$4 or network) with (standardiz\$3 or uniform\$3)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 21:35
S76	6	((standardiz\$3 or uniform\$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((computer or device) with (allow or enable) with (communcat\$4 or network) with (standardiz\$3 or uniform\$3)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 22:03
S77	46	((standardiz\$3 or uniform\$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((computer or device) with (allow or enable) with (communcat\$4 or network) with (standardiz\$3 or uniform\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 22:07
S78	4	("6760761" "6189038").pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/23 17:12
S79	8	((standardiz\$3 or uniform\$3) with (computer or device) with (different or conflict\$3 or differing or incompatible or (non adj compliant))) and ((computer or device) with (allow or enable) with (communcat\$4 or network) with (standardiz\$3 or uniform\$3)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/30 21:33

S80	0	@ay<"2001" and ((gather\$3 compil\$3 collat\$3 retriev\$3 match\$3 map\$4 accumul\$3 consolidat\$3) with (semantic\$4) with (compatib\$6) with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/30 21:33
S81	0	((client or computer or node) with (adapter or interface) with (incompatible or conflict\$3) with (character\$6 or trait) with network) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/11/30 21:34
S82	478	(adapt\$6 adj2 (software or application or app or program\$5) adj2 interface)	US-PGPUB; USPAT	OR	ON	2010/03/10 18:47
S83	2111	(adapt\$6 near2 (software or application or app or program\$5) near2 interface)	US-PGPUB; USPAT	OR	ON	2010/03/10 18:47
S84	0	(adapt\$6 near2 (software or application or app or program\$5) near2 interface) and (automatic\$5 with collat\$5 with semantic\$4)	US-PGPUB; USPAT	OR	ON	2010/03/10 18:48
S85	0	((adapt\$6 near2 (software or application or app or program\$5) near2 interface) with (automatic\$5)) and (automatic\$5 with collat\$5 with semantic\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 18:49
S86	0	((adapt\$6 near2 (software or application or app or program\$5) near2 interface) with (automatic\$5)) and (automatic\$5 with semantic\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 18:49
S87	7	((adapt\$6 near2 interface) with (automatic\$5)) and (automatic\$5 with semantic\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 18:49
S88	8	@ay<"2002" and ((adapt\$6 near2 interface) with (automatic\$5)) and semantic	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 19:49
S89	12	@ay<"2002" and ((adapt\$6 near2 interface) with (automatic\$5)) and (automatic\$5 with (semantic\$4 or languag\$3 or linguistic or syntax or syntactic\$4))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:10
S90	11	S89 not S88	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:11

S91	12	@ay< "2002" and ((adapt\$6 near2 interfac\$3) with (automatic\$5)) and (automatic\$5 with (semantic\$4 or languag\$3 or linguistic or syntax or syntactic\$4))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:21
S92	15	@ay< "2002" and ((adapt\$6 near3 interfac\$3) with (automatic\$5)) and (automatic\$5 with (semantic\$4 or languag\$3 or linguistic or syntax or syntactic\$4))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:22
S93	3	S92 not S89	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:22
S94	84	@ay< "2002" and ((adapt\$6 near3 interfac\$3) with (automatic\$5)) and (semantic\$4 or languag\$3 or linguistic or syntax or syntactic\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:26
S95	22	@ay< "2002" and ((adapt\$6 near3 interfac\$3) with (automatic\$5)) and (semantic\$4 or syntax or syntactic\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:27
S96	42	@ay< "2002" and ((adapt\$6 near3 interfac\$3) with (automatic\$5)) and (semantic\$4 or syntax or syntactic\$4 or descriptor)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:51
S97	37	@ay< "2002" and ((adapt\$6 near2 interfac\$3) with (automatic\$5)) and (semantic\$4 or syntax or syntactic\$4 or descriptor)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:52
S98	17	S97 not S95	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:52
S99	6	@ay< "2002" and ((adapt\$6 near2 interfac\$3) with (automatic\$5)) and ((semantic\$4 or syntax or syntactic\$4 or descriptor) with (automatic\$5))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/03/10 20:58
S100	2	("6760761" "7461078").pn.	US-PGPUB; USPAT	OR	ON	2010/11/02 18:26
S101	1	@ay< "2002" and ((adapt\$6 near2 interfac\$3) with (automatic\$5)) and ((semantic\$4 or syntax or syntactic\$4 or descriptor) with (automatic\$5)) and ((run or execution) near2 time)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 20:56

S102	55	@ay<"2002" and ((run or execution) near2 time) same (analy\$4 with semantic)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:12
S103	1	@ay<"2002" and ((run or execution) near2 time) same (analy\$4 with semantic) with (interface or adapt\$4)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:13
S104	0	@ay<"2002" and (((run or execution) near2 time) same (analy\$4 with semantic) with (interface or adapt\$4)) and (automatic\$6 with (creat\$5 or generat\$5) with (adapt\$4 or interface))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:15
S105	0	@ay<"2002" and (((run or execution) near2 time) same2 (analy\$4 with semantic) with (interface or adapt\$4)) and (automatic\$6 with (creat\$5 or generat\$5) with (adapt\$4 or interface))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:15
S106	0	@ay<"2002" and (((run or execution) near2 time) same2 ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or ponder\$3) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat \$5) with (adapt\$4 or interface))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:18
S107	8	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or ponder\$3) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat \$5) with (adapt\$4 or interface))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:19
S108	8	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or ponder\$3) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat\$5 or produc\$5) with (adapt\$4 or interface))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 21:22

S109	1	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or ponder\$3) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat\$5 or produc\$5) with (adapt\$4 or interface)) and (meta adj data)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/02 22:08
S110	1	"7010796".pn. and (analy\$5 same runtime)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/03 18:45
S111	0	"7010796".pn. and (map\$4 with network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/03 22:41
S112	0	"7010796".pn. and (map\$4 same network)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/11/03 22:41
S113	1	"7010796".pn.	US-PGPUB; USPAT	OR	ON	2011/01/04 17:45
S114	0	"60630354"	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/04 17:50
S115	0	"60/630354"	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/04 17:50
S116	0	"60630354"	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/04 17:50
S117	0	"60630354"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/01/04 17:51
S118	0	"60/630354"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/01/04 17:51
S119	0	"60630354"	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/01/04 17:51

S120	1	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat\$5 or produc\$5) with (adapt\$4 or interface)) and (meta adj data)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/06 19:12
S121	1	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5)) and (meta adj data)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/06 19:14
S122	9	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/06 19:17
S123	14	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with semantic) with (interface or adapt\$4 or translat\$5)) and (automatic\$6 with (creat \$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 00:10
S124	9	@ay<"2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with semantic) with (interface or adapt\$4)) and (automatic \$6 with (creat\$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 00:24

S125	5	S123 not S124	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 00:24
S126	53	@ay< "2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with (semantic or format\$4)) with (interface or adapt\$4 or translat\$5)) and (automatic\$6 with (creat\$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 00:52
S127	40	@ay< "2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with (semantic or format\$4)) with (interface or adapt\$4 or translat\$5)) and (automatic\$6 with (creat\$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5)) and ((semantic or format\$4) with (character \$5 or trait or setting or setup or config\$7))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 00:52
S128	8	@ay< "2002" and (((run or execution) near2 time) and ((analy\$4 or determin\$5 or choos\$3 or pick\$3 or contemplat\$4 or collat\$5) with (semantic or format\$4)) with (interface or adapt\$4 or translat\$5)) and (automatic\$6 with (creat\$5 or generat\$5 or produc\$5 or develop\$5) with (adapt\$4 or interface or translat\$5)) and ((semantic or format\$4) with (character \$5 or trait or setting or setup or config\$7)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 00:53
S129	9	("20080201118" "20080134158" "2006018913") "7328242". pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 14:22
S130	8	("20080201118" "20080134158" "20060184913") "7328242". pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 14:43

S131	38	@ay< "2008" and (database with (thread adj safe))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2011/04/07 14:57
------	----	---	---	----	----	---------------------

EAST Search History (Interference)

< This search history is empty >

4/ 7/ 11 7:43:47 PM

C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces\ azizul09981444.wsp